

666780 = 666780




FIG. 1

/30

ભેદ ભેદ કરું બાળ કરું

/32

/34

Header				Command			
PSH	SSH	XP	TST	Pointer	Data Segment 1	Data Segment 2	CRC8
135	136	137	138	140	142-1	142-2	144

FIG. 2

VALUES (B5 : B8)	OFF HOOK (B1 = 0)				TEST ON (B2 = 1)				ON HOOK (B1 = 1)			
	TEST OFF (B2 = 0)		TEST ON (B2 = 1)		TEST OFF (B2 = 0)		TEST ON (B2 = 1)		TEST OFF (B2 = 0)		TEST ON (B2 = 1)	
	Category (B3 : B4)											
0000	00	01	10	11	00	01	10	11	00	01	10	11
0001	1	16	18	29					41	56	64	75
0010	2	19	30						42	57	65	76
0011	3	20	31						43	58	66	77
0100	4	21	32						59	67	78	
0101	5	22	33						44	60	68	79
0110	6	17	24	35					45	61	69	80
0111	7	25	36						46	62	70	81
1000	8	26	37						47	63	71	82
1001	9	27	38						48	72	83	94
1010	10	28	39						49	73	84	95
1011	11		40						50	74	85	96
1100	12								51		86	97
1101	13								52			98
1110	14								53			99
1111	15								54			100
									55			101

FIG. 4

3/4




FIG. 3

B1: PSH, Primary switch hook state		
B	B	Indicator ID
5	6	ICON
0	0	LED 1
0	1	LED 2
1	0	LED 3
1	1	LED 4

B2: TST, Test operation		
B	B	test
5	6	operation
0	0	off
1	1	on

B3-B4: Pointer: category of application		
B	B	application
3	4	visual indicator
0	0	audio alerte
1	0	display pre-determined string
1	1	display data string

B5-B8: Visual Indicator		
B	B	Attributes
7	8	off (LED & ICON)
0	0	on (LED & ICON)
1	0	reverse video (ICON)
1	1	fast blink (LED)
1	1	not used
1	0	not used
1	0	not used
1	1	not used

B5-B8: Display Pre-determined String		
B	B	display string
5	6	clear display
0	0	pattern 1
0	1	pattern 2
0	0	pattern 3
0	1	pattern 4
0	0	pattern 5
0	1	call waiting pattern
0	1	test pattern
1	0	load display
1	0	display test string
1	0	not used
1	1	not used

B5-B8: Display data string		
B	B	display character
5	6	(reserved)
0	0	character 1
0	1	character 2
0	0	character 3
0	1	character 4
0	0	character 5
0	1	character 6
0	1	character 7
1	0	character 8
1	0	character 9
1	0	character 0
1	1	(space)
1	1	not used

Fig. 5A

B5-B8: Audio Alerter		
B	B	alerter pattern
5	6	alerter off
0	0	pattern 1
0	1	pattern 2
0	0	pattern 3
0	1	pattern 4
0	0	pattern 5
0	1	call waiting pattern
0	1	test pattern
1	0	load display
1	0	display test string
1	0	not used
1	1	not used

Fig. 5D

Fig. 5E

Fig. 5F

4/4

Fig. 5C